

European notified body
Identification number 0121

Hauptverband der gewerblichen
Berufsgenossenschaften

Translation

In any case, the German
original shall prevail.

EC-Type Test Certificate

0601009

No. of certificate

Name and address of the
holder of the certificate:
(customer) Riccardo Spasciani SpA
Via Milano 248
20021 Baranzate di Bollate (MI) / Italy

Name and address of the
manufacturer: Riccardo Spasciani SpA
Via Milano 248
20021 Baranzate di Bollate (MI) / Italy

Ref. of customer:

Ref. of Test and Certification Body:
Tob/The

Date of Issue:
15.05.2006

Product designation: Particle filter with standard thread

Type: Spasciani 100 LD P3

Intended purpose: Particle filter against non highly volatile liquid and solid particles.
Filter type and class: P3
Reusable after particle exposure.
For use in all non powered, positive tested face pieces with standard thread
according to EN 148-1.

Testing based on: DIN EN 143:2000 and regarding the test of the filter performance after aerosol
exposure in reference to DIN EN 143:2000 and doc CEN TC79 SC4 N416
"description of an aerosol exposure test"

Test report: 200523288/2120 of 17.01.06 - BGIA, Sankt Augustin


Remarks: This document is valid in connection with the technical file and the instructions for use
in German language, both provided with BGIA endorsement of 15th May 2006.

The type tested complies with the provisions laid down in the directive 89/686/EEC (Personal Protective Equipment), amended by the
directives 93/68/EEC, 93/95/EEC and 96/58/EC.

Further conditions are laid down in the Rules of Procedure for Testing and Certification of April 2004.

Head of certification body

Certification officer


(Prof. Dr. rer. nat. Dietmar Reinert)


(Dipl.-Ing. Hans-Ulrich Tobys)



Example showing the CE marking



1)

-
- 1) To the CE marking of PPE of category III will be added the identification number of the notified body carrying out the control measures.

EC TYPE EXAMINATION CERTIFICATE PPE/AT n°573-04/E
EXTENSION EST. n°01-04/04/E Prot. 0523/04
(in accordance with Art. 10 of Directive 89/686/EEC)

1 - MANUFACTURER / APPLICANT

Name or trade mark RICCARDO SPASCIANI S.p.A.
Legal address Via Milano, 248 - 20021 Bollate (MI)

2 - CHARACTERISTICS OF PPE

Type Respiratory Protection Equipment - filter
Model 200 K2 (code 12421.0000)
Description gas filter, type and class K2, with standard threaded connection according to the standard EN 148-1 - february 1999, to be used single on full face mask or half mask
Reference standard EN 141 - february 2000

3 - VARIANTS OF THE REFERENCED MODEL

The model being the subject of the present extension differs from the referenced model 201 K2 P3 (code 12442.0000), combined filter with special threaded connection, type and class K2 P3 the EC type examination certificate of which being PPE/AT n°573-04/E Prot. 0522/04 issued by ITALCERT, to be used single on full face mask , on the following point:

- the filter is not provided beside the gas protection section with a particle filter section class P3, the EC type examination certificate of which being PPE/AT n°549-03/E Prot. 1637/03 issued by ITALCERT.

4 - EVALUATION AND ASSESSMENT

In consideration of the technical documentation supplied by the Manufacturer, the Test report PPE/RP n° 854-03 which details the result of the tests carried out in accordance with the reference standard, the PPE listed above meets the basic health and safety requirements as specified by the Directive 89/686/EEC, Art. 3 and Annex II and subsequent modifications (Directives 93/95/EEC, 93/68/EEC and 96/58/EC).

NOTE:

- The "User Information" was approved only in the italian version and as far as the PPE under test was concerned.

5 - ANNEXES

Test report
Drawings
Photographic documentation
User information

pages 1 ÷ 5
pages 6 ÷ 7
page 8
pages 9 ÷ 11

ITALCERT



Dott. Ing. Roberto Cusolito
Direttore

Milan, 2004-04-02

*The issuing and use of the present Certificate is subordinated to the observance of the documents
" General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*

EC TYPE EXAMINATION CERTIFICATE PPE/AT n°576-04/E
EXTENSION EST. n°01-04/04/E Prot. 0527/04
(in accordance with Art. 10 of Directive 89/686/EEC)

1 - MANUFACTURER / APPLICANT

Name or trade mark RICCARDO SPASCIANI S.p.A.
Legal address Via Milano, 248 - 20021 Bollate (MI)

2 - CHARACTERISTICS OF PPE

Type Respiratory Protection Equipment - filter
Model 202 AX (code 12443.0000)
Description gas filter, type and class AX, with standard threaded connection according to the standard EN 148-1 - february 1999, to be used single on full face mask
Reference standard EN 141 - february 2000

3 - VARIANTS OF THE REFERENCED MODEL

The model being the subject of the present extension differs from the referenced model 203 AX P3 (code 12442.0000), combined filter with special threaded connection, type and class AX P3 the EC type examination certificate of which being PPE/AT n°576-04/E Prot. 0526/04 issued by ITALCERT, to be used single on full face mask , on the following point:

- the filter is not provided beside the gas protection section with a particle filter section class P3, the EC type examination certificate of which being PPE/AT n°549-03/E Prot. 1637/03 issued by ITALCERT.

4 - EVALUATION AND ASSESSMENT

In consideration of the technical documentation supplied by the Manufacturer, the Test report PPE/RP n° 858-04 which details the result of the tests carried out in accordance with the reference standard, the PPE listed above meets the basic health and safety requirements as specified by the Directive 89/686/EEC, Art. 3 and Annex II and subsequent modifications (Directives 93/95/EEC, 93/68/EEC and 96/58/EC).

NOTE:

- The "User Information" was approved only in the italian version and as far as the PPE under test was concerned.

5 - ANNEXES

Test report pages 1 ÷ 3
Drawings pages 4 ÷ 5
Photographic documentation page 6
User information pages 7 ÷ 9

Milan, 2004-04-02

ITALCERT

Dott. Ing. Roberto Cusolito
Direttore

*The issuing and use of the present Certificate is subordinated to the observance of the documents
" General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*

EC TYPE EXAMINATION CERTIFICATE PPE/AT n°569-04/E
EXTENSION EST. n°01-04/04/E Prot. 0517/04
(in accordance with Art. 10 of Directive 89/686/EEC)

1 - MANUFACTURER / APPLICANT

Name or trade mark RICCARDO SPASCIANI S.p.A.
Legal address Via Milano, 248 - 20021 Bollate (MI)

2 - CHARACTERISTICS OF PPE

Type Respiratory Protection Equipment - filter
Model 202 A2B2 (code 12440.0000)
Description gas filter, type and class A2 B2, with standard threaded connection according to the standard EN 148-1 - february 1999, to be used single on full face mask
Reference standard EN 141 - february 2000

3 - VARIANTS OF THE REFERENCED MODEL

The model being the subject of the present extension differs from the referenced model A2B2 P3 (code 12452.0000), combined filter with special threaded connection, type and class A2 B2 P3 the EC type examination certificate of which being PPE/AT n°569-04/E Prot. 0516/04 issued by ITALCERT, to be used single on full face mask , on the following point:

- the filter is not provided beside the gas protection section with a particle filter section class P3, the EC type examination certificate of which being PPE/AT n°549-03/E Prot. 1637/03 issued by ITALCERT.

4 - EVALUATION AND ASSESSMENT

In consideration of the technical documentation supplied by the Manufacturer, the Test report PPE/RP n° 848-03 which details the result of the tests carried out in accordance with the reference standard, the PPE listed above meets the basic health and safety requirements as specified by the Directive 89/686/EEC, Art. 3 and Annex II and subsequent modifications (Directives 93/95/EEC, 93/68/EEC and 96/58/EC).

NOTE:

- The "User Information" was approved only in the italian version and as far as the PPE under test was concerned.

5 - ANNEXES

Test report
Drawings
Photographic documentation
User information

pages 1 ÷ 5
pages 6 ÷ 7
page 8
pages 9 ÷ 11

ITALCERT



Dott. Ing. Roberto Cusolito
Direttore

Milan, 2004-04-02

*The issuing and use of the present Certificate is subordinated to the observance of the documents
" General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*

DICHIARAZIONE DI CONFORMITA'

DECLARATION OF CONFORMITY

La Società Riccardo Spasciani S.p.A.
via Milano, 248 20021 - Bollate Italia
dichiara che il D.P.I. di seguito descritto:
Filtro tipo Spasciani

Riccardo Spasciani S.p.A. S.p.A.
via Milano, 248 20021 - Bollate Italia
declares that the P.P.E. hereinafter described
Spasciani filter:

203 A2B2 P3 R

è conforme alle disposizioni della Direttiva 89/686/CEE e successive modifiche (93/95/CEE, 93/68/CEE e 96/58/CE) ed alla norma nazionale che recepisce la norma armonizzata:

conforms to the EC 89/686 Directive and its modifications (93/95/EEC, 93/68/EEC and 96/58/EC) and to the relevant national standard implementing the harmonised standard:

EN 141:2000 – EN14387:2004 – EN143:2000+A1:2006

è identico al D.P.I. oggetto di Certificazione CE Nr

is identical to the P.P.E. assessed with Certificate CE Nr

PPE/AT n° 569-04 Prof. 0516/04 + Lettera Prot. 1604/04-Rc/er + Lettera Rif. 1608/07-RC/am

rilasciato da:

issued by

ITALCERT

viale Sarca, 336 20126 Milano

Organismo notificato Nr

Notified body Nr

0426

in data

On

02/04/2004 – 22/09/2004 – 17/10/2007

è sottoposto alla procedura prevista all'Articolo 11, punto B della Direttiva 89/686/CEE, sotto il controllo di:

is subjected to the procedure 11 B of the EC 89/686 Directive under control from

ITALCERT

viale Sarca, 336 20126 Milano

Organismo notificato Nr

Notified body Nr

0426

Bollate, 21 Novembre 2007

RICCARDO.SPASCIANI SPA
Dr. Riccardo Spasciani



EC TYPE EXAMINATION CERTIFICATE PPE/AT n°567-04/E
EXTENSION EST. n°01-04/04/E Prot. 0515/04
(in accordance with Art. 10 of Directive 89/686/EEC)

1 - MANUFACTURER / APPLICANT

Name or trade mark RICCARDO SPASCIANI S.p.A.
Legal address Via Milano, 248 - 20021 Bollate (MI)

2 - CHARACTERISTICS OF PPE

Type Respiratory Protection Equipment - filter
Model 202 A2B2E2K2 (code 12441.0000)
Description gas filter, type and class A2 B2 E2 K2, with standard threaded connection according to the standard EN 148-1 - february 1999, to be used single on full face mask
Reference standard EN 141 - february 2000

3 - VARIANTS OF THE REFERENCED MODEL

The model being the subject of the present extension differs from the referenced model A2B2E2K2 Hg P3 (code 12453.0000), combined filter with special threaded connection, type and class A2 B2 E2 K2 P3 the EC type examination certificate of which being PPE/AT n°567-04/E Prot. 0513/04 issued by ITALCERT, to be used single on full face mask , on the following points:

- the filter is not provided beside the gas protection section with a particle filter section class P3, the EC type examination certificate of which being PPE/AT n°549-03/E Prot. 1637/03 issued by ITALCERT;
- the protection against Hg gas is not present.

4 - EVALUATION AND ASSESSMENT

In consideration of the technical documentation supplied by the Manufacturer, the Test report PPE/RP n° 846-03 which details the result of the tests carried out in accordance with the reference standard, the PPE listed above meets the basic health and safety requirements as specified by the Directive 89/686/EEC, Art. 3 and Annex II and subsequent modifications (Directives 93/95/EEC, 93/68/EEC and 96/58/EC).

NOTE:

- The "User Information" was approved only in the italian version and as far as the PPE under test was concerned.

5 - ANNEXES

Test report
Drawings
Photographic documentation
User information

ITALCERT



Dott. Ing. Roberto Cusolito
Direttore

pages 1 ÷ 5
pages 6 ÷ 7
page 8
pages 9 ÷ 11

Milan, 2004-04-02

*The issuing and use of the present Certificate is subordinated to the observance of the documents
" General Conditions for the certification of Personal Protective Equipment"
and "Quality plan for the Personal Protective Equipment"*

DICHIARAZIONE DI CONFORMITA'

DECLARATION OF CONFORMITY

La Società Riccardo Spasciani S.p.A.
via Milano, 248 20021 - Bollate Italia
dichiara che il D.P.I. di seguito descritto:
Filtro tipo Spasciani

Riccardo Spasciani S.p.A. S.p.A.
via Milano, 248 20021 - Bollate Italia
declares that the P.P.E. hereinafter described
Spasciani filter:

203 A2B2E2K2 P3 R

è conforme alle disposizioni della Direttiva 89/686/CEE e
successive modifiche (93/95/CEE, 93/68/CEE e 96/58/CE)
ed alla norma nazionale che recepisce la norma
armonizzata:

conforms to the EC 89/686 Directive and its modifications
(93/95/EEC, 93/68/EEC and 96/58/EC) and to the
relevant national standard implementing the
harmonised standard:

EN 141:2000 – EN14387:2004 - EN143:2000+A1:2006

è identico al D.P.I. oggetto di Certificazione CE Nr

is identical to the P.P.E. assessed with Certificate CE Nr

PPE/AT n° 568-04 Prot. 0514/04 + Lettera Prot. 1604/04-Rc/er + Lettera Rif. 1608/07-RC/am

rilasciato da:

issued by

ITALCERT

viale Sarca, 336 20126 Milano

Organismo notificato Nr

Notified body Nr

0426

in data

On

02/04/2004 – 22/09/2004 – 17/10/2007

è sottoposto alla procedura prevista all'Articolo 11, punto
B della Direttiva 89/686/CEE, sotto il controllo di:

is subjected to the procedure 11 B of the EC 89/686

Directive under control from

ITALCERT

viale Sarca, 336 20126 Milano

Organismo notificato Nr

Notified body Nr

0426

Baranzate, 21 Novembre 2007

RICCARDO SPASCIANI SPA

Dr. Riccardo Spasciani



UNI EN ISO 9001:2000
CERT 155/05

ITALCERT

DICHIARAZIONE DI CONFORMITA'

DECLARATION OF CONFORMITY

La Società Riccardo Spasciani S.p.A.
via Milano, 248 20021 - Bollate Italia
dichiara che il D.P.I. di seguito descritto:
Filtro tipo Spasciani

Riccardo Spasciani S.p.A. S.p.A.
via Milano, 248 20021 - Bollate Italia
declares that the P.P.E. hereinafter described
Spasciani filter:

203 A2B2E2K2Hg P3 R

è conforme alle disposizioni della Direttiva 89/686/CEE e successive modifiche (93/95/CEE, 93/68/CEE e 96/58/CE) ed alla norma nazionale che recepisce la norma armonizzata:

conforms to the EC 89/686 Directive and its modifications (93/95/EEC, 93/68/EEC and 96/58/EC) and to the relevant national standard implementing the harmonised standard:

EN 141:2000 – EN14387:2004 - EN143:2000+A1:2006

è identico al D.P.I. oggetto di Certificazione CE Nr

is identical to the P.P.E. assessed with Certificate CE Nr

PPE/AT n° 567-04 Prot. 0513/04 + Lettera Prot. 1604/04-Rc/er+ Lettera Rif. 1608/07-RC/am

rilasciato da:

issued by

ITALCERT

viale Sarca, 336 20126 Milano

Organismo notificato Nr

Notified body Nr

0426

in data

On

02/04/2004 – 22/09/2004 – 17/10/2007

è sottoposto alla procedura prevista all'Articolo 11, punto B della Direttiva 89/686/CEE, sotto il controllo di:

is subjected to the procedure 11 B of the EC 89/686 Directive under control from

ITALCERT

viale Sarca, 336 20126 Milano

Organismo notificato Nr

Notified body Nr

0426

Baranzate, 21 Novembre 2007

RICCARDO SPASCIANI SPA
Dr. Riccardo Spasciani

 UNEN ISO 9001:2000
CERT 155/05
ITACERT

DICHIARAZIONE DI CONFORMITA'

DECLARATION OF CONFORMITY

La Società Riccardo Spasciani S.p.A.
via Milano, 248 20021 - Baranzate Italia
dichiara che il D.P.I. di seguito descritto:

Riccardo Spasciani S.p.A.
via Milano, 248 20021 - Baranzate Italia
declares that the P.P.E. hereinafter described

Filtro tipo Spasciani

Spasciani filter:

204 UP3 A2B2E2K2Hg R
204 UP3 A2B2E2K2HgCO 20 NOP3 NR

è conforme alle disposizioni della Direttiva 89/686/CEE e
successive modifiche (93/95/CEE, 93/68/CEE e 96/58/CE)
ed alla norma nazionale che recepisce le norme
armonizzate:

*conforms to the EC 89/686 Directive and its
modifications (93/95/EEC, 93/68 EEC and 96/58/CE)
and to the relevant national standard implementing the
harmonised standards:*

EN14387 :2004
DIN 58620 :2006-03
EN 143:2000 pr A1:2006-07

è identico al D.P.I. oggetto di Certificazione CE Nr
0601106

is identical to the P.P.E. assessed with Certificate CE Nr

rilasciato da:

issued by

BGIA Berufsgenossenschaftliches Institut für Arbeitsschutz
Alte Heerstraße 111 53757 Sankt Augustin

Organismo notificato Nr

Notified body Nr

0121

in data

On

19-09-2006

è sottoposto alla procedura prevista all'Articolo 11, punto B
della Direttiva 89/686/CEE, sotto il controllo di:

*is subjected to the procedure 11 B of the EC 89/686
Directive under control from*

ITALCERT

viale Sarca, 336 20126 Milano

Organismo notificato Nr

Notified body Nr

0426

Baranzate, 20 Novembre 2007

RICCARDO SPASCIANI SPA
Dr Riccardo Spasciani

