

RICOTEST

RICOTEST

37010 Sandrà / Verona (Italia)

Via Einaudi 6/8

Notified Body n° 0498

Based on the Directive 89/686/EEC concerning the harmonisation of member states' legislation on Personal Protective Equipment (PPE), adopted in Italy with D.L. 475 from 04.12.1992 the present

CE TYPE APPROVAL CERTIFICATE n° 14397291/E from 1997.07.17

(English translation of the Italian original Certificate)

is to certify, that the hereunder described items of PPE have overcome positively the "CE type examination", proving their conformity to the relevant requirements of the Directive 89/686/EEC

Manufacturer:

TACCONI S.p.A.

(Responsible of the PPE)

Viale Lodi, 59 - 27100 PAVIA (PV) - ITALY

Type of PPE:

Safety boot for professional use of class "I" according to Table I of EN 345/92 – S3 – FPA (according to Table II of EN 345)

Tech. Standard:

EN 345/I (1992), EN 345/II (1996), EN 344 (1992), UNI 8615

Category:

II(DL 47592)

Article:

<u>Identification code</u>	<u>Description</u>
95500	Safety boot for Fire Fighters (professional use); <u>type</u> half-boot (Model C), fastening by zip; <u>processing</u> : Ago <u>sole</u> of black nitril antistatic rubber; <u>upper</u> of black grain leather; <u>tongue</u> of black cowgrain leather; <u>forepart and rear lining</u> of textile "Gore-tex"; <u>insole</u> of black cellulosic material. With <u>steel toe cap</u> , and <u>stitch proof steel insert</u> . The footwear is provided with a quick release system.
95395/A	Type knee-boot (Model D); <u>forepart lining</u> of grey cow leather; <u>rear lining</u> of black cowgrain leather;

Variants:

(non-mentioned characteristics are the same of the base model)

Protective functions:

Basic requirements for safety footwear (according to Table II of EN 345/92): all mandatory/applicable ones.

Supplementary requirements: (according to Table IV of EN 345/92):

S3: closed heel part;
antistatic bottom;
energy absorbing heel construction;
water resistant upper;
patterned sole resistant against perforation.

HRO: sole resistant against contact heat.

Supplementary requirements applicable to boots with resistance to fire fighting hazards (according to Table 7 of EN 345-2/96): all mandatory/applicable ones: **FPA**

Ing. C. Meyn
Head of Certification

N.B.: THIS CERTIFICATE DELETES AND SUBSTITUTES THE CERTIFICATE N° 14397231 FROM 1997/06/06

THIS CERTIFICATE BELONGS TO THE NOTIFIED BODY - PAG. 1/3

RICOTEST

RICOTEST

37010 Sandrà / Verona (Italia)

Via Einaudi 6/8

Notified Body n° 0498

CE TYPE APPROVAL CERTIFICATE n° 14397291/E from 1997.07.17

Intended use: Fire Fighters, general industrial use.
Size range: from 38 to 46
Test reports RCT : 161915 from 97/05/07, 162921 from 97/07/16
Basis of evaluation: Applicable requirements of the Directive 686/89 and reference standards
Code of the Technical File: (including Application and Documents):
CA-222, CA-241/E

Marking: The markings are printed on the tongue, containing the following information:

CE	CE marking
TACCONI	Name of the manufacturer
95500	Type designation of the PPE family
EN 345/92 S3	Harmonised European technical standard referred to + code indicating the safety features acc.to EN 345/92
EN 345-2/96 FPA	Harmonised European technical standard referred to Fire Fighters + safety symbol
ITALY	Country of manufacturer
S3	Code indicating the safety features acc.to EN 345/92
42 (example)	Size of footwear (directly printed on the sole)
06/97	Month and year of production
Pictogram	Resistance to fire fighting hazard according to EN 345/II (on the outside of the boot)

Marking



Head of Certification

N.B.: THIS CERTIFICATE DELETES AND SUBSTITUTES THE CERTIFICATE N° 14397231 FROM 1997/06/06

THIS CERTIFICATE BELONGS TO THE NOTIFIED BODY - P. G. 2/3



RICOTEST

RICOTEST

37010 Sandrà / Verona (Italia)

Via Einaudi 6/8

Notified Body n° 0498

CE TYPE APPROVAL CERTIFICATE n° 14397291/E from 1997.07.17

Photograph of the sole:



Photograph of the boot model 95500:



Photograph of the variant model 95395/A:



Note: the technical file contains:

- a more detailed description of the PPE (material, method of assembly, photographs or drawings)
- performance data, safety functions and level of protection
- elements of conformity to the basic and supplementary requirements
- description and significance of marking

The Technical File is integral part of the present Certification, which has to be kept available by the applicant firm to be forwarded - upon request - to the entitled person (e.g. final customer, supervising body, controlling officer).

Ing. C. Meyer
Head of Certification

N.B.: THIS CERTIFICATE DELETES AND SUBSTITUTES THE CERTIFICATE N° 14397231 FROM 1997/06/06

THIS CERTIFICATE BELONGS TO THE NOTIFIED BODY - PAG. 3/3

